DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

COMBINED COMPETITIVE (PRELIMINARY) EXAMINATION, 2013

Serial No.

BOTANY Code No. 03



Time Allowed: Two Hours

Maximum Marks: 300

INSTRUCTIONS

- 1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS, ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C OR D** AS THE CASE MAY BE IN THE APPROPRIATE PLACE IN THE RESPONSE SHEET.
- You have to enter your Roll Number on this
 Test Booklet in the Box provided alongside.
 DO NOT write anything else on the Test Booklet.

Your Roll No.		

- 4. This Booklet contains 120 items (questions). Each item comprises *four* responses (answers). You will select *one* response which you want to mark on the Response Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each item.
- 5. In case you find any discrepancy in this test booklet in any question(s) or the Responses, a written representation explaining the details of such alleged discrepancy, be submitted within three days, indicating the Question No(s) and the Test Booklet Series, in which the discrepancy is alleged. Representation not received within time shall not be entertained at all.
- 6. You have to mark all your responses ONLY on the separate Response Sheet provided. *See directions in the Response Sheet*.
- 7. All items carry equal marks. Attempt ALL items. Your total marks will depend only on the number of correct responses marked by you in the Response Sheet.
- 8. Before you proceed to mark in the Response Sheet the response to various items in the Test Booklet, you have to fill in some particulars in the Response Sheet as per instructions sent to you with your Admit Card and Instructions.
- 9. While writing Centre, Subject and Roll No. on the top of the Response Sheet in appropriate boxes use "ONLY BALL POINT PEN".
- 10. After you have completed filling in all your responses on the Response Sheet and the examination has concluded, you should hand over to the Invigilator only the Response Sheet. You are permitted to take away with you the Test Booklet.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

ROUGH WORK

EIJ-49852-A

2

1.	The proponent of chemisynthetic hypothesis conce (A) Haldane (C) Darwin	(B)	the origin of life is : Oparin Miller
2.	Chiasmata formation takes place in this stage: (A) Leptotene (C) Pachytene		Zygotene Diplotene
3.	Base pair replacement involving the substitution of (A) Transition (C) Translation	(B)	ne by guanine is : Transversion Transposition
4.	The smallest genetic unit that can undergo crossing (A) Cistron (C) Recon	(B)	is: Muton Exon
5.	The cell organelle which plays an important role in (A) Mitochondria (C) Lysosomes	(B)	plate' formation during cell division is : Golgi bodies Amyloplasts
6.	The studies conducted on 'Evening Primrose' led (A) Theory of inheritance of acquired characters (B) Natural Selection Theory (C) Mutation Theory (D) Neo-Lamarckism		establishment of this theory :
7.	The chemical employed to induce Euploidy is: (A) Methyl methane sulfonate(C) Polyvinyl pyrrolidone	` /	Colchicine Polyoxyethylene
8.	In which of the following phase of cell cycle, DNA (A) G ₁ phase (C) S phase	(B)	cation takes place ? G_2 phase M phase
9.	Which of the following is indicative of the term 'All (A) Spring wood (C) Heart wood	(B)	m' ? Autumn wood Sap wood
10.	Organelle without membrane envelope is: (A) Nucleolus (C) Glyoxysome	, ,	Peroxisome Vacuole
EIJ	-49852-A	3	[Turn over

11.	Commercial bread wheat is: (A) Autohexaploid (C) Autotetraploid		Allohexaploid Allotetraploid
12.	The shape of metacentric chromosome is: (A) Rod shape (C) V-shape	. ,	J-shape Z-shape
13.	2n – 2 genomic formula refers to : (A) Monosomy (C) Trisomy		Nullosomy Tetrasomy
14.	Floridean starch is the reserve food material in : (A) Laminaria (C) Chara		Polysiphonia Nostoc
15.	An example to centrales diatoms is : (A) Cyclotella (C) Gamphonema	` ′	Rhabdonema Navicula
16.	The chief source of alginic acid is: (A) Chondrous (C) Vaucheria	` ′	Gelidium Ascophyllum
17.	Mucopolypeptides are the cell wall components in : (A) Rhodophyceae (C) Xanthophyceae	(B)	Cyanophyceae Bacillariophyceae
18.	Meiosis is gametogenic in: (A) Ectocorpus (C) Sargassum		Cladophora Batrachospermum
19.	In the life cycle of <i>Puccinia graminis</i> , which of the (A) Aecial (C) Telial	(B)	owing stage occurs on Barbery plant? Basidial Uredinal
20.	A saucer shaped mycelial mat with short and closel (A) Rhizomorph (C) Stromata	(B)	cked conidiophores is referred to as : Acervulus Sclerotia
21.	Clamp connections are the characteristic feature of (A) Zygomycotina (C) Basidiomycotina	(B)	Ascomycotina Deuteromycotina

EIJ-49852-A

4

22.	(A)	shape of Rhabdo virus is : Rod Tadpole		Polyhedral Bullet
23.	(A)	dospirillum is an example to: Photoautotroph Photoheterotroph		Chemoautotroph Chemoheterotroph
24.	(A)	ch of the following is a viroid disease? Potato spindle Tobacco necrosis	` ′	Rice dwarf Blue tongue
25.	(A)	<i>ptomyces fradiae</i> is the source for : Kanomycin Neomycin		Polymixin-B Bacitracin
26.		struction of first recombinant DNA using plass	mid c	of Salmonella typhimurium was
		lucted by:	(D)	Boliver and Rodriguez
		Werner Arber and Nathans Kornberg and Smith		Cohen and Boyer
	(C)	Tromoeig and Simur	(D)	Concil and Boyer
27.	Whi	ch of the following is not a vegetative propagule	e in li	chens?
		Isidia		Soredia
	(C)	Cyphella	(D)	Cephalodia
20	D .	S		
28.		moss refers to:	(D)	D #
		Pellia	` ′	Porella
	(C)	Funaria	(D)	Sphagnum
29.	Both	n columella and archesporium originate from end	dothe	ecium in :
		Riccia		Marchantia
	(C)	Anthoceros	(D)	Funaria
30.		ording to 'Antithetic Theory', the following alg ophyte in the life cycle of bryophytes:	ae by	progressive elaboration interpolated as
	(A)	Cladophora	(B)	Coleochaeta
	(C)	Caulerpa	(D)	Chara
31.	Cret	aceous period belongs to this era:		
		Cenozoic	(B)	Paleozoic
	` ′	Mesozoic	` ′	Archeozoic

EIJ-49852-A 5 [Turn over

32.	A fossilized form with mineral im	pregnated plant parts exhibiting cellular details is:
	(A) Impression	(B) Compression
	(C) Cast	(D) Petrifaction
33.	Carrot shaped prothallus can be	seen in:
	(A) Lycopodium complanatum	
	(C) Lycopodium phlegmaria	(D) Lycopodium inundatum
34.	Peltate sporangiophores are foun	d in:
	(A) Selaginella	(B) Equisetum
	(C) Marsilea	(D) Isoetes
35.		plates having phloem in between is called as:
	(A) Haplostele	(B) Actinostele
	(C) Plectostele	(D) Siphonostele
36.	The development of embryo sac	
	(A) Monosporic	(B) Bisporic
	(C) Trisporic	(D) Tetrasporic
37.	Which of the following is haploid	
	(A) Bract scale	(B) Ovuliferous scale
	(C) Megaspore	(D) Ovule
38.	1	a is the source for <i>Canada</i> balsam:
	(A) Abies	(B) Agathis
	(C) Cedrus	(D) Podocarpus
39.	Which of the following compone	-
	(A) Sieve elements	(B) Phloem fibres
	(C) Companion cells	(D) Phloem parenchyma
40.	The development of sporophyte called as:	from any gametophytic cell without the union of gametes is
	(A) Apogamy	(B) Apospory
	(C) Autogamy	(D) Apomixis
41.	The ovules of gamopetalae are:	
	(A) Ategmic	(B) Unitegmic
	(C) Tritegmic	(D) Bitegmic
42.	The precursor of sporoporellin is	:
	(A) Tannin	(B) Lignin
	(C) Carotenoid	(D) Protein
EIJ	I-49852-A	<u>(6)</u>

43.	'Polyad' condition of pollen grains is found in : (A) Grass (C) Tribulus	` /	Hibiscus Accacia	
44.	Ruminate endosperm is seen in : (A) <i>Thumbergia</i> (C) <i>Barleria</i>		Myristica Ricinus	
45.	'Syngamy' was first described by: (A) Strasburger (C) Maheshwari	` ′	Nawaschin Bhatnagar	
46.	The ovule in which funiculus is at right angle to the r (A) Hemitropous (C) Anatropous	(B)	us and integuments is : Orthotropous Campylotropous	
47.	Tunica-Carpus theory was proposed by : (A) Nageli (C) Schmidt	` ′	Hanstein Schuepp	
48.	Astrosclereids are found in: (A) Petiole of <i>Nymphaea</i> (C) Fruit of <i>Pyrus</i>	` ′	Leaves of <i>Olea</i> Seed coat of bean	
49.	Cork cambium is the alternate name to: (A) Phellum (C) Phellogen	` ′	Phelloderm Periderm	
50.	Anomocytic type of stomata are present in : (A) Commelinaceae (C) Rubiaceae	` ′	Ranunculaceae Brassicaceae	
51.	An example to partial stem parasite is: (A) Loranthus (C) Striga	` ′	Cuscuta Orobanche	
52.	Polyarch condition is the characteristic feature of: (A) Dicot stem (C) Monocot stem	` ′	Dicot root Monocot root	
53.	Schizogenous cavities are found in: (A) Rutaceae(C) Apiaceae		Myrtaceae Solanaceae	
EIJ.	-49852-A	7		[Turn over

54.	The first International Botanical Congress was held (A) London (C) Leningrad	(B)	Paris Vienna
55.	Obdiplostaminous condition is the characteristic fea (A) Caryophyllaceae (C) Myrtaceae	(B)	of : Asclepiadaceae Apocyanaceae
56.	National Botanical Garden is located in : (A) Kolkata (C) Lucknow	` /	Dehradun Delhi
57.	Which of the following is phylogenetically advance (A) Spirally arranged floral parts (C) Caryopsis fruit	(B)	ture ? Twisted corolla Umbel inflorescence
58.	Superficial placentotion is the diagnostic feature of the (A) Nymphaceae (C) Acanthaceae	(B)	lowing family : Apiaceae Liliaceae
59.	The specimen selected to serve as nomenclatural ty called as: (A) Paratype (C) Syntype	(B)	hen all the original material is lost is Isotype Neotype
50.	The persistent nucellus in <i>Piper</i> is referred to as: (A) Pericorp (C) Corunclile		Perisperm Aril
51.	If pollen tube enters the ovule through integument in (A) Porogamy (C) Mesogamy	(B)	eferred to as : Chalazogamy Apogamy
62.	The plant in which the secondary rachis is modified photosynthesis is: (A) Asparagus (C) Oxalis	(B)	green, flattened structure and perform Clematis Parkinsonia
53.	The causative organism of Angular leaf spot of cott (A) <i>Pseudomonas</i> (C) <i>Erwinia</i>	(B)	: Xanthomonas Alternaria

EIJ-49852-A

8

64.	The pathogen for white rust disease in mustard is: (A) Albugo candida(C) Phytophthora infestans	` '	Alternaria brassicae Fusarium oxysporum
65.	Cercospora is responsible for this disease: (A) Red rot in sugarcane(C) Blast disease in rice		Tikka disease in groundnut Smut disease in wheat
66.	Gene concept was proposed by : (A) Operon (C) Sutton	` ′	Beadle and Tatum Watson and Crick
67.	The number of structural genes in <i>Lac</i> operon of <i>E</i> (A) Two (C) Five	(B)	richia coli is : Three Six
68.	Which of the following is called as 'amber' codon (A) UAA (C) UAG	(B)	UGA GUG
69.	The diameter of DNA molecule is: (A) 3.4 Å (C) 2.0 Å		34 Å 20 Å
70.	Protoplasmic fusion is facilitated by: (A) EDTA (C) TCA	` ′	PEG EMS
71.	The method of transferring DNA fragment onto a r	nemb	orane for detection of specific sequences
	by hybridization is called as:(A) Western blotting(C) Southern blotting		Northern blotting Electrophoresis
72.	Which of the following substances is employed as a (A) $2, 4, -D$ (C) $2, 4, 5-T$	(B)	enspirant ? PMA Ethephon
73.	The activator for the enzymes involved in the conv (A) Iron (C) Manganese	(B)	n of tryptophan to IAA is : Magnesium Zinc
74.	'Whip tail disease of crucifers' is due to the deficie (A) Molybdenum (C) Boron	(B)	f : Copper Sulphur
EIJ	-49852-A	9	[Turn over

75.	In photorespiration, decarboxylation of glycine tak (A) Chloroplast (C) Glyoxisome	(B)	ce in this cell organelle : Peroxisome Mitochondria
76.	Protein nature of enzymes was first established by (A) Sumner (C) Holdane	(B)	Buchner Northtrop
77.	The hydrogen acceptor in the oxidation reactions of (A) NAD ⁺ (C) FAD	(B)	xose monophosphate pathway is : NADP ⁺ ATP
78.	The carboxylating enzyme in bundle sheath cells of (A) PEP-carboxylase (C) Carbonic anhydrase	(B)	rcane leaf is : RUBP-carboxylase Carboxydismutase
79.	Collenchymatal cells with deposition of wall material referred to as: (A) Lamellar (C) Angular	(B)	tricted to tangential walls only is Locunar Glandular
80.	Inversely oriented cortical vascular bundles at the to (A) <i>Nyctanthus</i> (C) <i>Achyranthus</i>	(B)	idges of the stem are found in : Dracaena Amaranthus
81.	Nucleosome concept is concerned with: (A) DNA replication (C) DNA folding		DNA repair DNA transcription
82.	Medullary vascular bundles are present in : (A) Amaranthus (C) Casurina		Boerhavia Dracaena
83.	Breaking seed dormancy by prechilling treatment (A) Impaction (C) Scarification	(B)	ds is known as : Vernalization Stratification
84.	An example to Sesquiterpene is: (A) Gibberellic acid (C) Terpentine	` ′	Abscisic acid Carotene
85.	Inhibition of photosynthesis by high levels of oxyge (A) Warburg effect (C) Emerson's effect	(B)	alled as : Blackman effect Richmond-Long effect
EIJ	-49852-A	10	

86.	VAM fungi helps the plants in the uptake of : (A) Nitrogen (C) Potassium		Phosphorus Calcium
87.	Which of the following enzymes of TCA cycle is b (A) Succinate dehydrogenase (C) Isocitrate dehydrogenase	(B)	to mitochondrial inner membrane? Fumarase Aconitase
88.	An example to photoblastic seed is: (A) Nigella (C) Lettuce	` ′	Tobacco Petunia
89.	The application of the following substance increase sativus:	s the	formation of male flowers in Cucumis
	(A) IAA (C) ABA		GA ₃ BAP
90.	Cavitation in Xylem causing obstruction to water m	over	nent is called as :
	(A) Guttation		Plasmolysis
	(C) Embolism	(D)	Bolting
91.	If fats are the respiratory substrates, the value of F	Respi	ratory Quotient (R.Q.) is:
	(A) Zero	(B)	One
	(C) Less than one	(D)	More than one
92.	The insecticides which elicit behavioural changes in	n pest	ts rather than being toxic are:
	(A) Chlorinated hydrocarbons	(B)	Malathion
	(C) Pheromones	(D)	Permeathria
93.	The element responsible for eutrophication of water	r bod	lies is:
	(A) Nitrogen	` ′	Phosphorus
	(C) Potassium	(D)	Sulphur
94.	The top order carnivore in grass land ecosystem is	:	
	(A) Grasshopper	` ′	Rat
	(C) Tiger	(D)	Hawk
95.	Cosparian thickenings are the characteristic feature	of:	
	(A) Epidermis	` ′	Cuticle
	(C) Endodermis	(D)	Pericycle
96.	The botanical name of Flax is:		
	(A) Corchorus capsularis		Crotalaria juncea
	(C) Ceiba pentandra	(D)	Linum usitatissimum
EIJ	-49852-A	11)	[Turn over

97.	Late	eral roots originates from:		
	(A)	Epidermis	(B)	Cortex
	(C)	Endodermis	(D)	Pericycle
98.	The	farthest atmospheric zone from earth surface is	s:	
	(A)	Troposphere	(B)	Stratosphere
	(C)	Mesosphere	(D)	Ionosphere
99.	'Ree	ed Swamp Stage' in hydrosere is represented b	by:	
	(A)	Trapa	(B)	Typha
	(C)	Cyperus	(D)	Pistia
100.	Gras	ssland with scattered shrubs is referred to as:		
	(A)	Savannah	(B)	Steppe
	(C)	Tundra	(D)	Prairie
101.	Min	amata disease in fishes is due to the toxicity of	:	
	(A)	Lead	(B)	Cadmium
	(C)	Mercury	(D)	Arsenic
102.	The	pyramid of number is inverted in this ecosyster	n:	
	(A)	Grassland	(B)	Pond
	(C)	Marine	(D)	Tree
103.	Ane	example to Biodiesel plant is:		
	(A)	Eichornia	(B)	Jatropa
	(C)	Hevea	(D)	Subabul
104.	The	area where two major communities meet and b	olend	together:
	(A)	Estuary	(B)	Biome
	(C)	Ecotone	(D)	Ecad
105.	Tem	perate evergreen forests restricted to Nilgiri hil	lls are	·:
	(A)	Alpines	(B)	Sholas
	(C)	Mangroves	(D)	Scrubs
106.	A so	il conservation practice covering the soil surfac	ce wit	h plant remains is :
	(A)	Leaching	(B)	Terracing
	(C)	Mulching	(D)	Contouring
	40=			
Ю. Г.	498	52-A	(12)	

107. The botanical name of oak plant is:(A) Derris indica(C) Cissus quadragularis	` /	Viscum monoicum Quercus suber
108. Which of the following is a biodiversity hot spot?(A) Sunderbans(C) Western Ghats	(B)	Andamans Western Himalayas
109. Red Sanders belongs to this family:(A) Santalaceae(C) Verbinaceae		Dipterocarpaceae Fabaceae
110. In Jute, the fibre is obtained from :(A) Epidermis(C) Xylem		Pericycle Phloem
111. Cardioglycosides are obtained from the leaves of(A) Digitalis purpurea(C) Centella asiatica	(B)	Papaver somnifera Ephedra gerardiana
112. The plant from which safflower oil is obtained is:(A) Linum usitatissimum(C) Elaeis guineensis	` ′	Corthamus tinctorius Sesamum indicum
113. An example to biopesticide is: (A) Rhizobium (C) Penicillium	` ′	Azolla Trichoderma
114. Interferones are employed for the treatment of :(A) Hepatitis-B(C) Cancer	` ′	AIDS Leucoderma
115. The Enzymes called as 'Molecular Scissors' are : (A) Ligases (C) RNA polymerases		Restriction endonucleases DNA polymerases
116. Crown gall disease is induced by :(A) Agrobacterium tumefaciens(C) Bacillus amylolique faciens		Agrobacterium rhizogenes Bacillus thuringiensis
117. In Citrus, triploid plants can be obtained by culturi(A) Pollen(C) Embryo	(B)	Somatic cells Endosperm
EIJ-49852-A	13)	[Turn over

118. The scientist who developed PCR technique is:

(A) Stanford (B) Kary Mullis (C) H. Smith (D) D. Nathon

119. "Kufri Red" is a hybrid variety of:

(A) Water melon (B) Tomato (C) Potato (D) Carrot

120. Liquid nitrogen is employed for:

(A) Sterilization of culture media (B) Surface sterilization of explant

(C) Cryopreservation (D) Encapsulation of somatic embryos

EIJ-49852-A

14)

ROUGH WORK

EIJ-49852-A 15

ROUGH WORK

